

December 21, 2006

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill

Federal 4-29-9-16

Federal 4-30-9-16

Federal 8-30-9-16

Federal 12-30-9-16

Federal 16-30-9-16.

Dear Diana:

Enclosed find APD's on the above referenced directional wells. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Mandie Crozier

Regulatory Specialist

mc

enclosures

RECEIVED
DEC 2 2 2006

DIV. OF OIL, GAS & MINING

Form 3160-3 (September 2001) UNITED STATES	FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004					
DEPARTMENT OF THE IN BUREAU OF LAND MANA	NTERIOR		5. Lease Serial No. UTU-74391			
APPLICATION FOR PERMIT TO DE			6. If Indian, Allottee or Tribe Name			
			N/A			
1a. Type of Work: DRILL REENTE	7. If Unit or CA Agreement, I	Name and No.				
1b. Type of Well:	🗵 Single Zone 🚨 Multi	ple Zone	8. Lease Name and Well No. Federal 8-30-9-16			
2. Name of Operator Newfield Production Company			9. API Well No.	3471		
3a. Address	3b. Phone No. (include area code)		10. Field and Pool, or Explorat			
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		Monument Butte W	nder snot		
4. Location of Well (Report location clearly and in accordance with	any State requirements.*)		11. Sec., T., R., M., or Blk. and	l Survey or Area		
At surface SW/NE 1917' FNL 2148' FEL			0 00 700 0			
At proposed prod. zone SE/NE 1980' FNL 656' FEL			Sec. 30, T9S R1	6E		
14. Distance in miles and direction from nearest town or post office*			12. County or Parish	13. State		
Approximatley 15.2 miles southwest of Myton, Utah	<u>,</u> 1		Duchesne	UT		
15. Distance from proposed* location to nearest property or lease line, ft.	16. No. of Acres in lease	17. Spacin	g Unit dedicated to this well			
(Also to nearest drig. unit line, if any) Approx. 4616' f/lse, NA f/unit	2139.50		40 Acres			
 Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1584' 	19. Proposed Depth		BIA Bond No. on file			
	6100'		UTB000192			
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 6299' GL	22. Approximate date work will sta	rt*	23. Estimated duration			
0299 GL	2nd Quarter 2007		Approximately seven (7) days from spud to	rig release,		
T. C.11	24. Attachments					
The following, completed in accordance with the requirements of Onshor	e Oil and Gas Order No.1, shall be att	ached to this	form:			
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 	I tem 20 above). 5. Operator certification	ation. specific info	ns unless covered by an existing ormation and/or plans as may be			
25. Signature	Name (Printed/Typed)		Date			
11 bande romes	¦ Mandie Crozier		12/21	1/06		
Title Regulatory Specialist						
Approved by (Signature)	Name (Printed/Typed) BRADLEY G	HIII	Date O -	27-07		
Title	OffieNVIRONMENTAL M	IANAGER		<u> </u>		
Application approval does not warrant or certify the the applicant holds lesperations thereon. Conditions of approval, if any, are attached.	gal or equitable title to those rights in	the subject le	ease which would entitle the appl	licant to conduct		
Fitle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it attates any false, fictitious or fraudulent statements or representations as to	a crime for any person knowingly and any matter within its jurisdiction.	l willfully to	make to any department or age	ncy of the United		
(Instructions on reverse)						
Federal Approval of this Action is Necessary BHU	572194X 44283114		RECEIVED			

BHU

44283114

40.003794

-110.154217

DEC 2 2 2006


DIV. OF OIL, GAS & MINING

Surf 571739x

44283279 40,003978

-110.159543

T9S, R16E, S.L.B.&M.



= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (MYTON SW) 9 MILE 8-30-9-16 (Surface Location) NAD 83 LATITUDE = 40°00'13.98" LONGITUDE = 110°09'37.11"

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, 9 MILE 8-30-9-16, LOCATED AS SHOWN IN THE SW 1/4 NE 1/4 OF SECTION 30, T9S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



Note:

The Bottom hole bears S87°30'24"W 1,493.62' from the Well Head.

THIS IS TO CERTIFY THAT THE ABOVE PER WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPPRISON AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND FELIEF. No. 189377



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 09-07-06	SURVEYED BY: C.M.
DATE DRAWN: 09-19-06	DRAWN BY: F.T.M.
REVISED: 10-03-06 T.C.J.	SCALE: 1" = 1000'

NEWFIELD PRODUCTION COMPANY FEDERAL #8-30-9-16

AT PROPOSED ZONE: SE/NE SECTION 30, T9S, R16E AT SURFACE: SW/NE SECTION 30, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta 0' - 2100' Green River 2100' Wasatch 6100'

3. <u>ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:</u>

Green River Formation 2100' - 6100' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. <u>MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:</u>

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. <u>ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:</u>

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #8-30-9-16

AT PROPOSED ZONE: SE/NE SECTION 30, T9S, R16E AT SURFACE: SW/NE SECTION 30, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #8-30-9-16 located in the SW 1/4 NE 1/4 Section 30, T9S, R16E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southwesterly -12.0 miles \pm to it's junction with an existing road to the southeast; proceed southeasterly -0.4 miles \pm to it's junction with the beginning of the proposed access road; proceed in a southeasterly and then southwesterly direction along the proposed access road -1.2 miles \pm to the proposed well location.

2. PLANNED ACCESS ROAD

The proposed well will be drilled directionally off of the proposed Federal 7-30-9-16 well pad. See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

It is proposed that this well will be drilled directionally off of the proposed Federal 7-30-9-16 well pad. All permanent surface equipment will be painted Carlsbad Canyon. Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. <u>SOURCE OF CONSTRUCTION MATERIALS</u>

Please refer to the Monument Butte Field SOP.

7. <u>METHODS FOR HANDLING WASTE DISPOSAL</u>

Please refer to the Monument Butte Field SOP.

8. <u>ANCILLARY FACILITIES</u>

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

SURFACE OWNERSHIP - Bureau Of Land Management (Proposed location and access roads leading to).

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #06-175. Paleontological Resource Survey prepared by, Wade E. Miller, 4/26/06. See attached report cover pages, Exhibit "D".

Newfield Production Company requests a 470' ROW be granted in Lease UTU-64379 and 5,760' of disturbed area be granted in Lease UTU-74391 to allow for construction of the planned access road. Refer to Topographic Map "B". For the planned access road a temporary width of 60' will be needed for construction purposes with a permanent width of 30' and a running surface of 18'. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests a a 470' ROW be granted in Lease UTU-64379 and 5,760' of disturbed area be granted in Lease UTU-74391 to allow for construction of the proposed gas lines. It is proposed that the ROW and disturbed area will temporarily be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line and 30' wide upon completion of the proposed gas lines. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Newfield Production Company requests a 470' ROW be granted in Lease UTU-64379 and 5,760' of disturbed area be granted in Lease UTU-74391 to allow for construction of the proposed water lines. It is proposed that the ROW and disturbed area will temporarily be 50' wide to allow for construction of a buried 3" steel water injection line and a buried 3" poly water return line and 30' wide upon completion of the proposed water lines. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Surface Flow Line

For all new wells, Newfield Exploration requests that a 30' Right of way be granted to allow for construction of up to a 14" bundled pipe. **Refer to Topographic Map "D"** for the proposed location of the proposed flow line. Flow lines will be tan and will be constructed using the following procedures:

<u>Clearing and Grading:</u> the proposed flow line will be placed on the surface of the ground. As such no grading or clearing will be needed. The flow line will be centered staked every 200 feet prior to the installation. The flow line will be as close to the access road as possible without interfering

with the normal road travel, or road maintenance. All flow lines will be buried under roads at crossings and will cross roads only where existing gas pipeline corridors exist.

<u>Installation</u> for portions along existing roads, lengths of pipe will be laid in the barrow ditch, welded together and moved into place. For lines that go cross-country minimal access will be needed only for maintenance purpose. It is in the best interest of Newfield Exploration to avoid wet and saturated ground that would cause ruts greater than 3 inches in depth. Disturbed areas will be reclaimed with in 120 days of the end of the installation.

<u>Termination and final restoration:</u> A notice of abandonment will be filed with the BLM for final recommendations regarding surface reclamation. After abandonment the flow line will be removed, and any surface disturbance will be reclaimed according to the standards and specifics set by the BLM

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Elk and Deer winter range: No new construction or surface disturbing activities will be allowed Dec. 1st and April 30th.

Reserve Pit Liner

A 12 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Indian RicegrassOryzopsis Hyemoides5 lbs/acreBlue Gamma GrassBoutelous Gracilis5 lbs/acreNeedle and Thread GrassStipa Comata5 lbs/acre

Details of the On-Site Inspection

The proposed Federal #8-30-9-16 was on-sited on 9/28/06. The following were present; Kim Kettle (Newfield Production), Charley Sharp (Bureau of Land Management), and Brandon McDonald (Bureau of Land Management). Weather conditions were clear and ground cover was 100% open.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name:

Dave Allred

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #8-30-9-16 SE/NE Section 30, Township 9S, Range 16E: Lease UTU-74391 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by US Specialty Insurance #B001832.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

12/21/06 Date

Mandie Crozier

Regulatory Specialist

Newfield Production Company



Project: Duchesne County, UT Site: 9 Mile 8-30-9-16

Well: 9 Mile 8-30-9-16

Wellbore: OH Design: Plan #1




Azimuths to True North Magnetic North: 11.91


> Magnetic Field Strength: 52690.5nT Dip Angle: 65.86° Date: 2006-12-15 Model: IGRF2005-10

WELL DETAILS: 9 Mile 8-30-9-16

6299.00 GL 6299' & RKB 12' @ 6311.00ft Easting +NV-S +E/-W Northing Latittude

Longitude 2015681.11 40° 0' 13.980 N 110° 9' 37.110 W 0.00 7172962.90





FORMATION TOP DETAILS	Plan: Plan #1 (9 Mile 8-30-9-16/OH)

rmation data is available Created By: Julie Cruse Date: 2006-12-15

PROJECT DETAILS: Duchesne County, UT

Geodetic System: US State Plane 1983 Datum: North American Datum 1983 Ellipsoid: GRS 1980 Zone: Utah Central Zone

System Datum: Mean Sea Level

Local North: No north reference data is available

Sec MD Inc Azi TVD +N/-S +E/-W Dileg TFace VSec Targ	
1 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	
2 600 00 0 00 0 600 00 0 00 0 00 0 00 0	
31722 45 16.84 92.42 1706 37 -6.91 163.59 1.50 92.42 163.74	
46312.86 16.84 92.42 6100.00 -63.00 1492.00 0.00 0.001493.33 8-30	0-9-16 Target

SECTION DETAILS

Newfield Exploration Co.

Duchesne County, UT 9 Mile 8-30-9-16 9 Mile 8-30-9-16 OH

Plan: Plan #1

Standard Planning Report

15 December, 2006

Scientific Drilling

Planning Report

Database: Company: EDM 2003.14.1.0 Single User Db

Project:

Newfield Exploration Co. Duchesne County, UT

Site: Well: 9 Mile 8-30-9-16 9 Mile 8-30-9-16

Wellbore: Design:

OH Plan #1 Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well 9 Mile 8-30-9-16

GL 6299' & RKB 12' @ 6311.00ft GL 6299' & RKB 12' @ 6311.00ft

True

Minimum Curvature

Project

Duchesne County, UT

Map System: Geo Datum:

US State Plane 1983

North American Datum 1983

Map Zone:

Utah Central Zone

System Datum:

Mean Sea Level

Site

Well

9 Mile 8-30-9-16, Sec 30 T9S R16E

Site Position: From:

Lat/Long

Northing: Easting:

7,172,962.90 ft

Longitude:

40° 0' 13.980 N

Position Uncertainty:

0.00 ft

Slot Radius:

2,015,681.11 ft

Grid Convergence:

110° 9' 37.110 W 0.86°

9 Mile 8-30-9-16, 1917' FNL, 2148' FEL

Well Position

+N/-S

0.00 ft 0.00 ft Northing: Easting:

7,172,962.90 ft 2,015,681.11 ft Latitude: Longitude: 40° 0' 13.980 N

Position Uncertainty

0.00 ft

Wellhead Elevation:

Ground Level:

110° 9' 37.110 W 6,299.00 ft

Wellbore

OH

Plan #1

16.84

+E/-W

Magnetics

Model Name

Sample Date

Declination (°)

Dip Angle (°)

Field Strength

(nT)

IGRF2005-10

92.42

2006-12-15

11.91

65.86

52,691

Design

Audit Notes:

Version:

Phase:

PLAN

-63.00

Tie On Depth:

0.00

Vertical Section:

Depth From (TVD) **(ft)**

5.830.00

6,100.00

+N/-S (ft)

0.00

+51.184 (ft) 0.00

0.00

Direction (°) 92.42

0.00

0.00

Plan Sections Vertical Build Turn Measured Dogleg +E/-W +NLS Depth Inclination Azimuth Depth Rate Rate Rate TFO (11) (°) (°) **(ft)** (ft) (ft) (°/190ft) (°/100ft) (°/100ft) Target (°) 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 600.00 0.00 0.00 600.00 0.00 0.00 0.00 0.00 0.00 0.00 1,722.45 16.84 92.42 1,706.37 -6.91 163.59 1.50 1.50 0.00 92.42

1,492.00

6,312.86

0.00 8-30-9-16 Target

Scientific Drilling

Planning Report

Database:

EDM 2003.14.1.0 Single User Db

Company: Project: Site: Newfield Exploration Co.
Duchesne County, UT
9 Mile 8-30-9-16

Well: Wellbore: Design: 9 Mile 8-30-9-16 OH Plan #1 Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference: Survey Calculation Method: Well 9 Mile 8-30-9-16

GL 6299' & RKB 12' @ 6311.00ft GL 6299' & RKB 12' @ 6311.00ft

True

Minimum Curvature

lanned Survey									
Measured			Vertical			Vertical	Dawlon	Duffe	
						and the second of the second	Dogleg	Build	Turn
Depth	inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate	Rate
(ft)	(1)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	(°/100ft)	(°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	
300.00									0.00
	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	
									0.00
700.00	1.50	92.42	699.99	-0.06	1.31	1.31	1.50	1.50	0.00
800.00	3.00	92.42	799.91	-0.22	5.23	5.23	1.50	1.50	0.00
900.00	4.50	92.42	899.69	-0.50	11.76	11.77	1.50	1.50	0.00
1,000.00	6.00	92.42	999.27	-0.88	20.91	20.92	1.50	1.50	0.00
•		92.42						1.50	0.00
1,100.00	7.50		1,098.57	-1.38	32.65	32.68	1.50	1.50	0.00
1,200.00	9.00	92.42	1,197.54	-1.98	46.99	47.03	1.50	1.50	0.00
1,300.00	10.50	92.42	1,296.09	-2.70	63.90	63.96	1.50	1.50	0.00
1,400.00	12.00	92.42	1,394.16	-3.52	83.40	83.47	1.50	1.50	0.00
1,500.00	42.50	92.42	1 404 70	A AE	10E 4F	105 51	4 50	4 50	0.00
•	13.50		1,491.70	-4.45	105.45	105.54	1.50	1.50	0.00
1,600.00	15.00	92.42	1,588.62	-5.49	130.04	130.15	1.50	1.50	0.00
1,700.00	16.50	92.42	1,684.86	-6.64	157.16	157.30	1.50	1.50	0.00
1,722.45	16.84	92.42	1,706.37	-6.91	163.59	163.74	1.50	1.50	0.00
1,800.00	16.84	92.42	1,780.59	-7.86	186.03	186.20	0.00	0.00	0.00
4 000 00	4004	00.40	4.070.00	0.00	04407	045.40	0.00	0.00	0.00
1,900.00	16.84	92.42	1,876.30	-9.08	214.97	215.16	0.00	0.00	0.00
2,000.00	16.84	92.42	1,972.02	-10.30	243.91	244.13	0.00	0.00	0.00
2,100.00	16.84	92.42	2,067.73	-11.52	272.85	273.09	0.00	0.00	0.00
2,200.00	16.84	92.42	2,163.44	-12.74	301.79	302.06	0.00	0.00	0.00
2,300.00	16.84	92.42	2,259.16	-13.97	330.73	331.02	0.00	0.00	0.00
0.400.00	4004	00.40	0.054.07	45.40	050.07	252.02			
2,400.00	16.84	92.42	2,354.87	-15.19	359.67	359.99	0.00	0.00	0.00
2,500.00	16.84	92.42	2,450.58	-16.41	388.60	388.95	0.00	0.00	0.00
2,600.00	16.84	92.42	2,546.30	-17.63	417.54	417.92	0.00	0.00	0.00
2,700.00	16.84	92.42	2,642.01	-18.85	446.48	446.88	0.00	0.00	0.00
2,800.00	16.84	92.42	2,737.72	-20.07	475.42	475.84	0.00	0.00	0.00
•									
2,900.00	16.84	92.42	2,833.44	-21.30	504.36	504.81	0.00	0.00	0.00
3,000.00	16.84	92.42	2,929.15	-22.52	533.30	533.77	0.00	0.00	0.00
3,100.00	16.84	92.42	3,024.87	-23.74	562.24	562.74	0.00	0.00	0.00
3,200.00	16.84	92.42	3,120.58	-24.96	591.18	591.70	0.00	0.00	0.00
3,300.00	16.84	92.42	3,216.29	-26.18	620.11	620.67	0.00	0.00	0.00
•			•						
3,400.00	16.84	92.42	3,312.01	-27.41	649.05	649.63	0.00	0.00	0.00
3,500.00	16.84	92.42	3,407.72	-28.63	677.99	678.60	0.00	0.00	0.00
3,600.00	16.84	92.42	3,503.43	-29.85	706.93	707.56	0.00	0.00	0.00
3,700.00	16.84	92.42	3,599.15	-31.07	735.87	736.53	0.00	0.00	0.00
3,800.00	16.84	92.42	3,694.86	-32.29	764.81	765.49	0.00	0.00	0.00
•			•						
3,900.00	16.84	92.42	3,790.57	-33.52	793.75	794.45	0.00	0.00	0.00
4,000.00	16.84	92.42	3,886.29	-34.74	822.69	823.42	0.00	0.00	0.00
4,100.00	16.84	92.42	3,982.00	-35.96	851.63	852.38	0.00	0.00	0.00
4,200.00	16.84	92.42	4,077.71	-37.18	880.56	881.35	0.00	0.00	0.00
4,300.00	16.84	92.42	4,173.43	-38.40	909.50	910.31	0.00	0.00	0.00
•							0.00		
4,400.00	16.84	92.42	4,269.14	-39.63	938.44	939.28	0.00	0.00	0.00
4,500.00	16.84	92.42	4,364.85	-40.85	967.38	968.24	0.00	0.00	0.00
4,600.00	16.84	92.42	4,460.57	-42.07	996.32	997.21	0.00	0.00	0.00
4,700.00	16.84	92.42	4,556.28	-43.29	1,025.26	1,026.17	0.00	0.00	0.00
4,800.00	16.84	92.42	4,651.99	-44.51	1,054.20	1,055.14	0.00	0.00	0.00
4,900.00	16.84	92.42	4,747.71	-45.74	1,083.14	1,084.10	0.00	0.00	0.00
5,000.00	16.84	92.42	4,843.42	-46.96	1,112.07	1,113.07	0.00	0.00	0.00
5,100.00	16.84	92.42	4,939.13	-48.18	1,141.01	1,142.03	0.00	0.00	0.00
5,200.00	16.84	92.42	5,034.85	-49.40	1,169.95	1,170.99	0.00	0.00	0.00

Scientific Drilling

Planning Report

Database:

EDM 2003.14.1.0 Single User Db

Company: Project: Newfield Exploration Co. Duchesne County, UT

Project: Site:

Well:

9 Mile 8-30-9-16 9 Mile 8-30-9-16

Wellbore: Design: OH Plan #1 Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference: Survey Calculation Method: Well 9 Mile 8-30-9-16


GL 6299' & RKB 12' @ 6311.00ft GL 6299' & RKB 12' @ 6311.00ft

True

Minimum Curvature

ed Survey									
Measured Depth (ft)	inclination (°)	Azianuth (°)	Vertical Depth (ft)	+N/-S (ft)	+EI-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (*/100ft)	Turn Rate (°/100ft)
5,300.0	0 16.84	92.42	5,130.56	-50.62	1,198.89	1,199.96	0.00	0.00	0.00
5,400.0	0 16.84	92.42	5,226.27	-51.85	1,227.83	1,228.92	0.00	0.00	0.00
5,500.0	0 16.84	92.42	5,321.99	-53.07	1,256.77	1,257.89	0.00	0.00	0.00
5,600.0	0 16.84	92.42	5,417.70	-54.29	1,285.71	1,286.85	0.00	0.00	0.00
5,700.0	0 16.84	92.42	5,513.41	-55.51	1,314.65	1,315.82	0.00	0.00	0.00
5,800.0	0 16.84	92.42	5,609.13	-56.73	1,343.59	1,344.78	0.00	0.00	0.00
5,900.0	00 16.84	92.42	5,704.84	-57.96	1,372.52	1,373.75	0.00	0.00	0.00
6,000.0	0 16.84	92.42	5,800.55	-59.18	1,401.46	1,402.71	0.00	0.00	0.00
6,100.0	0 16.84	92.42	5,896.27	-60.40	1,430.40	1,431.68	0.00	0.00	0.00
6,200.0	0 16.84	92.42	5,991.98	-61.62	1,459.34	1,460.64	0.00	0.00	0.00
6,300.0	0 16.84	92.42	6,087.69	-62.84	1,488.28	1,489.61	0.00	0.00	0.00
6,312.8	6 16.84	92.42	6,100.00	-63.00	1,492.00	1,493.33	0.00	0.00	0.00
8-30-9-16	Target								


Targets		-				:			
Target Name - hit/miss target - Shape	Dip Angle	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
8-30-9-16 Target - plan hits target - Circle (radius 75.0	0.00	0.00	6,100.00	-63.00	1,492.00	7,172,922.25	2,017,173.89	40° 0' 13.357 N	110° 9' 17.935 W





NEWFIELD PRODUCTION COMPANY


CROSS SECTIONS

- 9 MILE 7-30-9-16 (Proposed Well)
- 9 MILE 8-30-9-16 (Proposed Well)









NOTE: UNLESS OTHERWISE NOTED CUT SLOPES ARE AT 1:1 FILL SLOPES ARE AT 1.5:1 ESTIMATED EARTHWORK QUANTITIES
(No Shrink or swell adjustments have been used)

(Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	5,850	5,850	Topsoil is not included	0
PIT	640	0	in Pad Cut	640
TOTALS	6,490	5,850	1,190	640

SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY:	T. C. J.	DATE:	10-03-06


 $egin{array}{ll} ackslash Tri & State & ag{435} & 781-2501 \ Land & Surveying, & Inc. \ ____ & 180 & NORTH VERNAL AVE. VERNAL, UTAH 84078 \ \end{array}$

NEWFIELD PRODUCTION COMPANY

TYPICAL RIG LAYOUT

9 MILE 7-30-9-16 (Proposed Well)

9 MILE 8-30-9-16 (Proposed Well)



0.0	1//0/	
KŁ	VISED:	•

SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY:	T. C. J.	DATE:	10-03-06

$\wedge Tri$	Sta	te		(435)	781–2501
		veying	In	c.	
		VERNAL AVE.			34078

Newfield Production Company Proposed Site Facility Diagram


Federal 8-30-9-16


From the 7-30-9-16 Location


SW/NW Sec. 30 T9S, 16E


Duchesne County, Utah


UTU-74391












11	5	10		17	12	7.	. 17	g 16	10	14		2	7	± tr	18 TA	15 S-R1V		11	13			,	18	Newfield Wells Location Surface Spud Drilling Waiting on Comp Producing Oil We	all a
2	1	22	27.7	S-R3W	24	19	20	21	1S-R2V		24	551 131 1631 131	10	20	21	2		23 11-20	24	19		T48-	-R18	Water Injection W Dry Hole Temporerily Aber Plugged & Abend Shut In Water Source We	ndoned loned
2	9	20	7	28	26	30	29	28	Hawkeye	23 (for 12)	Remigrant Kotta Sil 254 51:54 Konstan Konstan		1	17 18 7E 7E 40 600 600 600 600 600 600 600 600 600	Land 1	22 N. 23 P. 22 23 N. 23 P. 23 P. 24 P. 2	201	in h	May / star	19	20	7	20	Water Disposal V Injection Stations InitOutlines	Vell
3	13	3	14	26 TRE I	29 24 FE		16E	TOTAL SERVICE	27 627 10 10 10 10 10 10 10 10 10 10 10 10 10 1	eto las eto las En eto las eto En las eto Las las eto	125 225 225 225 225 225 225 225 225 225	1 40 60 60 60 1 40 60 60 60	0 539 639, 20 539 0 539 0 539	100 (20 e20 50 2m e20 620 e20 6m e20 620 6m e20 620		20 / 20 (2) 20 / 20 (2) 20 / 20 10 /	75 674 55 674 56 674	150 (sa)	A	30 22-30	8S-R18 26 33 5 35 43 35 43 63	14/20	10-00	16.20 15.20	35 + 26 - 29 - 36-11
	55	R3\	w/	and the	, iso	31 65 15 15 15 15 15 15 15 15 15 15 15 15 15	925-11-25-22 5-22 11-25-21-25-22 5-22 11-25-21-25-21-25-21-25-21-25-21-25-21-25-21-25-21-25-21-25-21-25-21-25-25-25-25-25-25-25-25-25-25-25-25-25-	20 20 20 20 20 20 20 20 20 20 20 20 20 2	50 50 50 50 1 631 50 60 50 7 954 60	12 20 10 10 10 10 10 10 10 10 10 10 10 10 10	200 fan 130 fan 200 fan 130 fan 200 fan 130 fan	ear farsar for a far a far far a garetan a	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(20 612 623 633 (20 612 633 633 (20 612 633 633	100 to m. 60	1654 7:54 8:54 H 51:34 8:54	25 3	zán d	M 4 4 4	ธรราชวิ 7.31631 เร็ก " 1631 คริก 31	1 + 12 632 12 + 132 152 632 102 1632 152 632 1647	33 4 24	254 254 24 24 24 24 24 24 24 24 24 24 24 24 24 2	24-76	do 1 160 800 250 240 dos
	6	14	62 62 02 163	16 60 67 180 00 60 1	2012 2012 1014 201	60 / 434006 60 330V 20		21-40 N-40 (4 0-40 (4 14 (14 15 4 15 21 0 Y	13 33 13 4 65 23 113 23 123	12 62 22 62 62 62 62 62 62 62 62 62 62 62	60 60 60 60 60 60 60 60 60 60	to t	Pennet V	13 53 54 64 64 64 64 64 64 64 64 64 64 64 64 64	248 (1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$ 6 5 \$ 10 60 60 \$ 10 60 60 \$ 10 60 \$ 10 60	12 62 63 64 64 64 64 64 64 64 64 64 64 64 64 64	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		प्रम शह धन हत	de 180 180 - 85 180 180 180	45-4 14-4	64 3 64 3		(1)
9	10	10 10 ±11	0 11-11 0 - 11-11 0 - 4/1-1	La 24 La 20 1 24 24 25	542 /12 642 7/2, 1542 /12 144 1642 144	\$ 6. \$ \$ \$1 \$ 6. \$ \$1 \$ \$ \$1 \$ \$ \$1 \$	6 64 64 6 54 6 547	1155,11	F 10 30 30	Landon for take land for the same for the same for the same same same same same same same sam	4-12- 3. 3	A 28 + 1	/ 25.00	1.00 1. 1	Lapte Tree .	2640	14 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15	344 ste	133	24 191 34	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3%	3-15	15.11	12
21	28.	15 15 2 15 10 15	12/14/15/1	200 130 130 130 130 130 130 130 130 130 1	13-13-13-13-13-13-13-13-13-13-13-13-13-1	10	17 20 35	อริส อร์ส *	The sta	17.14 13.14 2.14 16.14 18.14	53 50 50 53 120 12 55 160 16	10 3345	18 1	5-0 16+0/-48 1-36-16 2-30	10 10 524	10 100 100 100 100 100 100 100 100 100	25 27	15-14	12 4-13 18-13 wills 24	1884 1844 20-Tay * 1	0°11 15°11	117H		25 25 25 25 25 25 25 25 25 25 25 25 25 2	_
		27 27		10-23 P. T. S. T.		10		S-R16E	22	# 128 23 128	24 2120V 28		A) 21	198		E #	76	28	25	4375 170 30		4C21V	19\$-R	78E 27 24	25
2	ร็งเ	31		35	25	21	\$2	33	34	26	26	31	3	2	33	34		25	45.50	31	12	33		NEWFIELD OCKY MOUNTAINS	7
	10	S-R	R15E	2	1	n	6	4	3	710S-R	16E	T-1	0S-R	17E	.4	2		2	1.	T10	S-R18E	24	Annu Pout Sulling 1011 Shi Sold Sulling Dates Commit SE Paris (20165531	Exhibit A Duchera & Ulatab Countries	Brcan, 14.30



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

CULTURAL RESOURCE INVENTORY OF NEWFIELD EXPLORATION'S BLOCK PARCEL IN TOWNSHIP 9S, RANGE 16E, SECTIONS 27, 28, 29 AND 30 DUCHESNE COUNTY, UTAH

By:

Jenn Mueller

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Newfield Exploration Company Rt. 3 Box 3630 Myton, UT 84052

Prepared By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 06-175

September 8, 2006

United States Department of Interior (FLPMA) Permit No. 06-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-06-MQ-1111b

NEWFIELD PRODUCTION COMPANY

PALEONTOLOGICAL SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, DUCHESNE AND UINTAH COUNTIES, UTAH

NE 1/4, NW 1/4, Section 33, T 9 S, R 18 E; Section 19, T 9 S, R 17 E [entire section excluding the NW 1/4, NW 1/4]; Section 27, T 9 S, R 16 E [entire section excluding the NW 1/4, NW 1/4], Section 28, T 9 S, R 16 E [entire section]; Section 29, T 9 S, R 16 E [entire section]; Section 30, T 9 S, R 16 E [entire section].

REPORT OF SURVEY


Prepared for:


Newfield Production Company

Prepared by:

Wade E. Miller Consulting Paleontologist April 26, 2006

APD RECEIVED: 12/22/2006	API NO. ASSIGNED: 43-013-33471						
WELL NAME: FEDERAL 8-30-9-16							
OPERATOR: NEWFIELD PRODUCTION (N2695)	PHONE NUMBER: 435-646-3721						
CONTACT: MANDIE CROZIER							
PROPOSED LOCATION:	INSPECT LOCATN BY: / /						
SWNE 30 090S 160E SURFACE: 1917 FNL 2148 FEL	Tech Review Initials Date						
BOTTOM: 1980 FNL 0656 FEL	Engineering						
COUNTY: DUCHESNE LATITUDE: 40.00398 LONGITUDE: -110.1595	Geology						
UTM SURF EASTINGS: 571739 NORTHINGS: 4428	327 Surface						
FIELD NAME: UNDESIGNATED (2)						
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-74391 SURFACE OWNER: 1 - Federal	PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO						
RECEIVED AND/OR REVIEWED: LOCATION AND SITING:							
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTB000192)	R649-2-3. Unit:R649-3-2. General						
Potash (Y/N)							
Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit	Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception						
(No. MUNICIPAL)	Drilling Unit						
RDCC Review (Y/N) (Date:	Board Cause No:						
MA Fee Surf Agreement (Y/N)	Eff Date: Siting:						
All Intent to Commingle (V/N)							
R649-3-11. Directional Drill							
COMMENTS: Sopratifile							
STIPULATIONS: 1- feder appropriate 2- Sparson Spil							





Ms. Diana Mason Utah Division of Oil, Gas and Mining P.O. Box 145801 Salt Lake City, Utah 84114-5801

Re:

Directional Drilling R649-3-11

Various Wells and Locations (See Attached)

Duchesne County, Utah

Dear Ms. Mason:

Pursuant to the filing of Newfield Production Company's (hereinafter "NPC") Applications for Permit to Drill dated 12/21/2006 (copies enclosed herewith) which concern the wells more particularly described on Exhibit A attached hereto, NPC is hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649-3-11 pertaining to Directional Drilling.

These drillsite locations are located on Federal Lease #U-74391. NPC is permitting these wells as directional wells in order to minimize surface disturbance. By locating the wells at the surface locations described and directionally drilling from these locations, NPC will be able to utilize the existing roads and pipelines in the area.

Furthermore, NPC, Yates Petroleum Corporation, Yates Drilling Company, Myco Industries, Inc. and Abo Petroleum Corporation are the only working interest owners within 460 feet of the entire directional well bores as well as the entire Federal Lease #U-74391. Yates, et al have provided their consent to the locations, and a copy of the consent is attached hereto.

Therefore, based on the above stated information NPC requests the permits be granted pursuant to R649-3-11. Thank you for your consideration in this matter.

Sincerely,

Rhonda Deimer Land Associate RECEIVED
JAN 1 9 2007

DIV. OF OIL, GAS & MINING

DIRECTIONAL DRILLING R649-3-11 WELL EXHIBIT UTU-74391 DUCHESNE COUNTY, UTAH

Federal 4-29-9-16

655' FNL, 2045' FWL (at surface) 663' FNL, 661' FWL (bottomhole) Section 29-T9S-R16E

Federal 4-30-9-16

769' FNL, 2034' FWL (at surface) 661' FNL, 610' FWL (bottomhole) Section 30-T9S-R16E

Federal 8-30-9-16

1917' FNL, 2048' FEL (at surface) 1980' FNL, 656' FEL (bottomhole) Section 30-T9S-R16E

Federal 12-30-9-16

2206' FSL, 1432' FWL (at surface) 1978' FSL, 612' FWL (bottomhole) Section 30-T9S-R16E

Federal 16-30-9-16

667' FSL, 2204' FEL (at surface) 664' FSL, 661' FEL (bottomhole) Section 30-T9S-R16E

Date: 2-11-8/

Fax to: 303-893-0103

Newfield Production Company

Attn: Rhonda Deimer

Exception Locations:

Federal 4-29-9-16

Federal 4-30-9-16

Federal 8-30-9-16

Federal 12-30-9-16

Federal 16-30-9-16

UTU-74391, Duchesne County, Utah

Please be advised that Yates Petroleum Corporation, Yates Drilling Company, Myco Industries, Inc. and Abo Petroleum Corporation do not have an objection to the proposed locations of the aforementioned wells.

By: Coud

ERNEST L. CARRELL

Print Name and Title

Senior Cardman

RECEIVED
JAN 1 9 2007



State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director JON M. HUNTSMAN, JR.

Governor

GARY R. HERBERT Lieutenant Governor

January 22, 2007

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re:

Federal 8-30-9-16 Well, Surface Location 1917' FNL, 2148' FEL, SW NE, Sec. 30, T. 9 South, R. 16 East, Bottom Location 1980' FNL, 656' FEL, SE NE, Sec. 30, T. 9 South, R. 16 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-33471.

Sincerely,

Gil Hunt

Associate Director

High

pab

Enclosures

cc:

Duchesne County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfield Production Company					
Well Name & Number	Federal					
API Number:	43-013-	33471				
Lease:	UTU-74					
Surface Location: SW NE	Sec. 30	T. 9 South	R. _16 East			
Bottom Location: SE NE	Sec. 30	T. 9 South	R. 16 East			

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.
- 6. In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED

Budget Bureau No. 1004-0135

BUREAU OF LAND MANAGEMENT Expires: March 31, 1993 5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU-74391 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well Oil Gas 8 Well Name and No. FEDERAL 8-30-9-16 Well 9. API Well No. 43-013-33471 2. Name of Operator **NEWFIELD PRODUCTION COMPANY** 10. Field and Pool, or Exploratory Area MONUMENT BUTTE 3. Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 11. County or Parish, State 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) DUCHESNE COUNTY, UT. 1917 FNL 2148 FEL SW/NE Section 30, T9S R16E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12 TYPE OF SUBMISSION TYPE OF ACTION X Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Altering Casing Final Abandonment Notice Conversion to Injection **Permit Extension** Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* The state of the s Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 1/22/07 (expiration 1/22/08). This APD has not been approved yet by the BLM. Approved by the Utah Division of Oil, Gas and Mining hereby certify that the 1/10/2008 2 Title Regulatory Specialist Date CC: UTAH DOGM (This space for Federal or State office use) Title Date Approved by Conditions of approval, if any: CC: Utah DOGM

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fradulent statements or representations as to any matter within its jurisdiction.



Application for Permit to Drill Request for Permit Extension

Validation
(this form should accompany the Sundry Notice requesting permit extension)

API: 43-013-33471							
Well Name: Federal 8-30-9-16 Location: SW/NE Section 30,T9S R16E							
Company Permit Issued to: Newfield Production Company							
Date Original Permit Issued: 1/22/2007							
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.							
Following is a checklist of some items related to the application, which should be verified.							
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes ☑ No □							
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No☑							
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑							
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No☑							
Has the approved source of water for drilling changed? Yes□No☑							
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑							
ls bonding still in place, which covers this proposed well? Yes ☑No ☐							
Wardie Crozin 1/7/2008							
Signature Date							
Title: Regulatory Specialist							
Representing: Newfield Production Company							



Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

January 12, 2009

Mandie Crozier Newfield Production Co Route 3 Box 3630 Myton, UT 84052 43 013 33471 Federal 8-30-9-16 95 16E 30

Re: APDs Rescinded at the request of Newfield Production Company

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective January 5, 2009.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject locations.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal



Federal 8-29-8-18	43-047-36663
Federal 8-30-8-18	43-047-36227
Federal 7-03-9-18	43-047-36159
Federal 16-30-9-16	43-013-33475
Federal 12-30-9-16	43-013-33472
Federal 8-30-9-16	43-013-33471
Federal 15-30-9-16	43-013-33462
Federal 14-30-9-16	43-013-33461
Federal 11-30-9-16	43-013-33459
Federal 6-30-9-16	43-013-33456